



TECHNICAL DATA SHEET

SHORT DESCRIPTION:

Thin, white or yellow heat press material for decorating 100% polyester and sublimated polyester fabric. Sublimated polyester typically has a pattern such as digital camo or stripes. The dye in this type of polyester requires a very special heat press material which will stop dye migration in its tracks. Easyweed Sub Block is the only heat press material we trust on sublimated polyester fabric.

EASYWEED SUB BLOCK BENEFITS:

- Bleed resistant on all 100% polyester fabrics.
- Heat press at a very low temperature, preventing damage to the fabric and further preventing dye migration.
- Very soft feel.
- Capable of being used as an underbase for other materials and colors.

HEAT PRESS INSTRUCTIONS:

- 266°F
- Medium pressure
- 15 seconds
- Peel cold.

Important Notes: Do not wash the decorated garment for 24 hours.

When using Easyweed Sub Block as an underbase on these materials, the heat press should remain at 265°F for both layers. We recommend a 2-3 second press on the Sub Block, which should always be the first layer, and follow with a 15-20 second press on the second layer to complete the design.

Always perform a pretest when using new materials to establish the best results. The directions given are the most accurate based on manufacturer recommendations. If there is ever a question about a job, call us at 800-942-4447. We are always happy to help!