

ELT Reducer

Revision Date 08/30/17

SECTION 1. IDENTIFICATION

Product name :ELT Reducer

Manufacturer or supplier's details :

One Stroke Inks 458 Roberts Ave Louisville, KY 40214

Telephone : 502-366-1070

Visit our web site : www.onestrokeinks.com

Emergency : After hours emergency contact: CHEMTREC

telephone number 1-800-424-9300

Recommended use of the chemical and restrictions on use

Recommended use : Rheology Additive

Restrictions on use : Refer to Section 15 for any restrictions that may apply

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Aspiration hazard : Category 1

GHS Label element

Hazard pictograms :



Signal word : Danger

Hazard statements : H304 May be fatal if swallowed and enters airways.

Precautionary statements : Response:

IF SWALLOWED: Immediately call a POISON CENTER or

doctor/ physician.

Do NOT induce vomiting.

Storage: Store locked up. **Disposal:**

Dispose of contents/ container to an approved waste

disposal plant.

Other hazards
None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature : Aliphatic hydrocarbons with neutral wetting and dispersing

component

Hazardous components

Component	CAS-No.	Concentration (%)
Distillates (petroleum), hydrotreated light	64742-47-8	>= 85 - < 86

SECTION 4. FIRST AID MEASURES

If inhaled : Remove to fresh air. Administer artificial respiration if

necessary. Get medical aid as soon as possible.

In case of skin contact : Remove contaminated clothing. Wash thoroughly with soap

and water.

In case of eye contact : Immediately flush with plenty of water for at least 20 minutes.

Get medical aid.

If swallowed : Do not induce vomiting; aspiration hazard. Dilute with 1-2

glasses of water. Get medical aid. If vomiting occurs

spontaneously, keep head below hips to prevent aspiration of

liquid into lungs.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and

delayed

: No information available.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Foam

Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

: No information available.

Specific hazards during

firefighting

: Cool closed containers exposed to fire with water spray.

Will not explode on mechanical impact.

Hazardous combustion

products

: Carbon oxides

Further information : Keep away from heat and sources of ignition.

Keep away from oxidizing agents.

for firefighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

: Wear protective equipment: goggles, chemically resistant clothing and gloves, and appropriate respirator if in a confined

area.

: Prevent spilled material from entering the ground, water Environmental precautions

and/or air by using appropriate containment methods.

Methods and materials for containment and cleaning up

: Stop leak. Dike and contain spill.

Pump into salvage tanks and/or absorb with suitable material.

Use sparkless shovels to remove material.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Avoid contact with skin and eyes.

Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

Handle as an industrial chemical. Keep container tightly closed.

Conditions for safe storage : Keep in a dry, cool and well-ventilated place.

Keep product and empty container away from heat and

sources of ignition.

Take measures to prevent the build up of electrostatic charge.

: Keep away from strong acids. Materials to avoid

Keep away from oxidizing agents.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Distillates (petroleum), hydrotreated light	64742-47-8	TWA	500 ppm 2,000 mg/m3	OSHA Z-1
		TWA	200 mg/m3 (total hydrocarbon vapor)	ACGIH
		TWA	400 ppm 1,600 mg/m3	OSHA P0

Revision Date 05/07/2015

Print Date 05/13/2015

TWA (Mis	t) 5 mg/m3	OSHA Z-1
TWA (Mis	t) 5 mg/m3	OSHA P0
TWA (Mis	t) 5 mg/m3	NIOSH REL
ST (Mist)	10 mg/m3	NIOSH REL

Engineering measures : Use with local exhaust ventilation.

Personal protective equipment

Respiratory protection : Unless air monitoring demonstrates dusts/mists/vapors are

below the recommended exposure levels and/or WEEL, wear a properly fitted respirator (NIOSH) or dust mask during

exposure.

Hand protection

Material : Neoprene gloves

Eye protection : Safety Glasses

Goggles

Skin and body protection : Choose body protection according to the amount and

concentration of the dangerous substance at the work place.

Hygiene measures : Clean long legged, long sleeved work clothes.

Handle in accordance with good industrial hygiene and safety

practice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : colourless

Odour : not significant

Odour Threshold : No data available

pH : No data available

Pour point : ca. $< 5 \,^{\circ}F \,(< -15 \,^{\circ}C)$

Initial boiling point : $> 392.00 \, ^{\circ}\text{F} \, (> 200.00 \, ^{\circ}\text{C})$

Flash point : 223 °F (106 °C)

Method: 49 (Pensky-Martens)

Evaporation rate : No data available

Upper explosion limit : 8.00 %(V)

Revision Date 05/07/2015

Print Date 05/13/2015

Lower explosion limit

: 0.60 %(V)

Vapour pressure

: < 0.1 hPa (68.00 °F (20.00 °C))

Method: calculated

Relative vapour density

: No data available

Relative Density/Specific

Gravity

: No data available

Density : 0.81 g/cm3 (68.00 °F (20.00 °C))

Method: 4 (20°C oscillating U-tube)

Bulk density : Not applicable

Solubility(ies)

Water solubility : immiscible

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

: No data available

Auto-ignition temperature : > 392 °F (> 200 °C)

Method: DIN 51794

Thermal decomposition : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : 3.000 mm2/s (104.00 °F (40.00 °C))

Surface tension : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable; polymerization will not occur

Possibility of hazardous

reactions

: No data available

Conditions to avoid : None known.

5 / 10

Incompatible materials : Acids

Strong oxidizing agents

Hazardous decomposition

products

: None expected

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Skin contact Skin absorption Inhalation Eyes Ingestion

Acute toxicity

Product:

Acute oral toxicity : Remarks: No data available

Components:

64742-47-8 Distillates (petroleum), hydrotreated light:

Acute dermal toxicity : LD50 (Rabbit): > 3,160 mg/kg

Skin corrosion/irritation

Product:

Remarks: No data available

Components:

64742-47-8 Distillates (petroleum), hydrotreated light:

Species: Rabbit Result: slight irritation

Serious eye damage/eye irritation

Product:

Remarks: No data available

Components:

64742-47-8 Distillates (petroleum), hydrotreated light:

Species: Rabbit

Result: Mild eye irritation

Respiratory or skin sensitisation

Product:

Revision Date 05/07/2015

Print Date 05/13/2015

Remarks: No data available

Carcinogenicity

IARC No component of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

ACGIH No component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by ACGIH.

OSHA No component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by OSHA.

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

Repeated dose toxicity

Product:

Remarks: No known chronic health effects.

Experience with human exposure

Product:

Inhalation:

Symptoms: High concentrations of vapors may be

irritating to the respiratory tract. May cause

CNS depression (drowsiness, loss of

coordination and fatigue).

Skin contact:

Symptoms: Contact will probably cause irritation.

Eye contact:

Symptoms: Contact will probably cause irritation.

Ingestion:

Symptoms: Ingestion may irritate the digestive tract; high

dosages may cause CNS depression.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish

Remarks: No data available

Persistence and degradability

Product:

Biodegradability : Remarks: No data available

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data available

Mobility in soil No data available

Other adverse effects

No data available

Product:

Regulation 40 CFR Protection of Environment; Part 82 Protection of

Stratospheric Ozone - CAA Section 602 Class I Substances

Remarks This product neither contains, nor was manufactured with a

Class I or Class II ODS as defined by the U.S. Clean Air Act

Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological

information

: There is no data available for this product.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

EPA Hazardous Waste : Not applicable.

Code(s)

Waste from residues : Dispose of in accordance with applicable local/municipal,

state/provincial and federal regulations.

SECTION 14. TRANSPORT INFORMATION

International Regulation

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

49 CFR

Not regulated as a dangerous good

Container sizes: 55 gallon drums, 5 or 6-gallon pails, 2oz/16oz samples

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a SARA 302 RQ.

SARA 311/312 Hazards : Acute Health Hazard

SARA 302 : No chemicals in this material are subject to the reporting

requirements of SARA Title III, Section 302.

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

Massachusetts Right To Know

No components are subject to the Massachusetts Right to Know Act.

.....

Pennsylvania Right To Know

Distillates (petroleum), hydrotreated light 64742-47-8 1-Hexadecene 629-73-2

New Jersey Right To Know

Distillates (petroleum), hydrotreated light 64742-47-8 629-73-2 1-Hexadecene

New Jersey Trade Secret : 800963-5424

Registry Number for the product (NJ TSRN)

California Prop 65 This product does not contain any chemicals known to State

of California to cause cancer, birth defects, or any other

reproductive harm.

CONEG Heavy Metal: We confirm that we use packaging and/or packaging components in which the sum of the incidental concentration levels of lead, mercury, cadmium and hexavalent chromium do not exceed 100 parts per million by weight.

The components of this product are reported in the following inventories:

TSCA : We certify that all of the components of this product are either

> listed on the TSCA Inventory or are not subject to the notification requirements per 40 CFR 720 30(h).

Section 4 / 12(b) : Not applicable

DSL : The following component(s) is/are not listed on the DSL:

CEPA Category Polymer Weight percent 10.0 % NSN Filed None

Max. NSN Required : Schedule 10

SECTION 16. OTHER INFORMATION

Revision Date : 08/30/17

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a quidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.