

MATERIAL SAFETY DATA SHEET

	1. Product and Company Identification	
Product number	805-004	
Product name	Clean Jet-100	
ffective date	30-Dec-2010	
Company information	Sprayway, Inc.	
. ,	1005 Westgate Addison, IL 60101 United States	
ampany phono	General Assistance 1-630-628-3000	
Company phone	800-424-9300	
Emergency telephone US	703-527-3887	
Emergency telephone outside US		
/ersion #	11	
Supersedes date	30-Sep-2010	
	2. Hazards Identification	
Emergency overview	Aerosol. CONTENTS UNDER PRESSURE. Prolonged exposure may cause chronic effects. Health injuries are not known or expected under normal use.	
Potential health effects		
Eyes	Contact with liquefied gas may cause frostbite. Health injuries are not known or expecte under normal use.	
Skin	Contact with liquefied gas may cause frostbite.	
Inhalation	Intentional misuse by concentrating and inhaling the product can be harmful or fatal. Excessive inhalation of this material causes headache, dizziness, nausea and incoordination.	
Ingestion	Exposure by ingestion of an aerosol is unlikely. Small amounts of this aspirated into the lungs, may cause mild to severe pulmonary injury.	s product, if
3	8. Composition / Information on Ingredients	
Components	CAS #	Percent
,1,1,2-Tetrafluoroethane	811-97-2	> 90
Ion-hazardous and other components	s below reportable levels	> 0.5
Composition comments	This product is considered not hazardous under 29 CFR 1910.1200 Communication).	Hazard
	4. First Aid Measures	
First aid procedures	4. First Aid Measures	
First aid procedures Eye contact	4. First Aid Measures Immediately flush eyes with plenty of water for at least 15 minutes. R lenses, if present and easy to do. Continue rinsing. Get medical atter occur.	
-	Immediately flush eyes with plenty of water for at least 15 minutes. R lenses, if present and easy to do. Continue rinsing. Get medical atter	ntion if symptoms warm water and
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. R lenses, if present and easy to do. Continue rinsing. Get medical atter occur. Remove and isolate contaminated clothing and shoes. Wash off with soap. For minor skin contact, avoid spreading material on unaffected	warm water and skin. Get medical e mouth-to-mouth th the aid of a
Skin contact	Immediately flush eyes with plenty of water for at least 15 minutes. R lenses, if present and easy to do. Continue rinsing. Get medical atter occur. Remove and isolate contaminated clothing and shoes. Wash off with soap. For minor skin contact, avoid spreading material on unaffected attention if irritation develops or persists. Move to fresh air. Oxygen or artificial respiration if needed. Do not us method if victim inhaled the substance. Induce artificial respiration wi pocket mask equipped with a one-way valve or other proper respirate	ntion if symptoms warm water and skin. Get medical e mouth-to-mouth th the aid of a bry medical device. et into the lungs. Do t use icial respiration with per respiratory

Product name: Clean Jet 100 Product #: 805 Clean Jet-100

	5. Fire Fighting Measures
Flammable properties	Not flammable by OSHA criteria. Not combustible by OSHA criteria.
Extinguishing media	
Suitable extinguishing media	Large Fires: Water spray, fog or regular foam.
	Small Fires:
Protection of firefighters	
Protective equipment and precautions for firefighters	Containers should be cooled with water to prevent vapor pressure build up. Cool containers with flooding quantities of water until well after fire is out. Move containers from fire area if you can do so without risk.
	6. Accidental Release Measures
Methods for containment	Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Stop the flow of material, if this is without risk.
Methods for cleaning up	Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. After removal flush contaminated area thoroughly with water.
	7. Handling and Storage
Handling	Pressurized container: Do not pierce or burn, even after use. Do not smoke while using or until sprayed surface is thoroughly dry. Do not use if spray button is missing or defective. Do not re-use empty containers. Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid contact with skin. Avoid contact with eyes. Wear personal protective equipment.
Storage	Contents under pressure. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. Do not expose to heat or store at temperatures above 120°F/49°C as can may burst. Keep away from heat, sparks and open flame. Avoid exposure to long periods of sunlight. Keep out of the reach of children. Level 1 Aerosol (NFPA 30B)
	8. Exposure Controls / Personal Protection
Personal protective equipment	
Eye / face protection	Chemical goggles are recommended.
Skin protection	Wear protective gloves. Not normally needed.
Respiratory protection	No personal respiratory protective equipment normally required. If permissible levels are exceeded use NIOSH mechanical filter / organic vapor cartridge or an air-supplied respirator.
Respiratory protection	exceeded use NIOSH mechanical filter / organic vapor cartridge or an air-supplied
	exceeded use NIOSH mechanical filter / organic vapor cartridge or an air-supplied respirator.
Appearance	exceeded use NIOSH mechanical filter / organic vapor cartridge or an air-supplied respirator. 9. Physical & Chemical Properties
Appearance Boiling point	exceeded use NIOSH mechanical filter / organic vapor cartridge or an air-supplied respirator. 9. Physical & Chemical Properties Compressed liquefied gas.
Appearance Boiling point Color	exceeded use NIOSH mechanical filter / organic vapor cartridge or an air-supplied respirator. 9. Physical & Chemical Properties Compressed liquefied gas. -13 °F (-25 °C) estimated
Appearance Boiling point Color Density	exceeded use NIOSH mechanical filter / organic vapor cartridge or an air-supplied respirator. 9. Physical & Chemical Properties Compressed liquefied gas. -13 °F (-25 °C) estimated None known.
Appearance Boiling point Color Density Flammability (HOC)	exceeded use NIOSH mechanical filter / organic vapor cartridge or an air-supplied respirator. 9. Physical & Chemical Properties Compressed liquefied gas. -13 °F (-25 °C) estimated None known. 1.2035 g/cm3 estimated
Appearance Boiling point Color Density Flammability (HOC) Flash back	exceeded use NIOSH mechanical filter / organic vapor cartridge or an air-supplied respirator. 9. Physical & Chemical Properties Compressed liquefied gas. -13 °F (-25 °C) estimated None known. 1.2035 g/cm3 estimated 0.247 kJ/g estimated
Appearance Boiling point Color Density Flammability (HOC) Flash back Flash point	exceeded use NIOSH mechanical filter / organic vapor cartridge or an air-supplied respirator. 9. Physical & Chemical Properties Compressed liquefied gas. -13 °F (-25 °C) estimated None known. 1.2035 g/cm3 estimated 0.247 kJ/g estimated No
Appearance Boiling point Color Density Flammability (HOC) Flash back Flash point Form	exceeded use NIOSH mechanical filter / organic vapor cartridge or an air-supplied respirator. 9. Physical & Chemical Properties Compressed liquefied gas. -13 °F (-25 °C) estimated None known. 1.2035 g/cm3 estimated 0.247 kJ/g estimated No None
Appearance Boiling point Color Density Flammability (HOC) Flash back Flash point Form Freezing point	exceeded use NIOSH mechanical filter / organic vapor cartridge or an air-supplied respirator. 9. Physical & Chemical Properties Compressed liquefied gas. -13 °F (-25 °C) estimated None known. 1.2035 g/cm3 estimated 0.247 kJ/g estimated No None Liquid.
Appearance Boiling point Color Density Flammability (HOC) Flash back Flash point Form Freezing point Odor	exceeded use NIOSH mechanical filter / organic vapor cartridge or an air-supplied respirator. 9. Physical & Chemical Properties Compressed liquefied gas. -13 °F (-25 °C) estimated None known. 1.2035 g/cm3 estimated 0.247 kJ/g estimated No None Liquid. Not available
Appearance Boiling point Color Density Flammability (HOC) Flash back Flash point Form Freezing point Odor pH	exceeded use NIOSH mechanical filter / organic vapor cartridge or an air-supplied respirator. 9. Physical & Chemical Properties Compressed liquefied gas. -13 °F (-25 °C) estimated None known. 1.2035 g/cm3 estimated 0.247 kJ/g estimated No None Liquid. Not available None.
Appearance Boiling point Color Density Flammability (HOC) Flash back Flash point Form Freezing point Odor pH Physical state	exceeded use NIOSH mechanical filter / organic vapor cartridge or an air-supplied respirator. 9. Physical & Chemical Properties Compressed liquefied gas. -13 °F (-25 °C) estimated None known. 1.2035 g/cm3 estimated 0.247 kJ/g estimated No None Liquid. Not available None. Not applicable
Respiratory protection Appearance Boiling point Color Density Flammability (HOC) Flash back Flash point Form Freezing point Odor pH Physical state Pressure Solubility	exceeded use NIOSH mechanical filter / organic vapor cartridge or an air-supplied respirator. 9. Physical & Chemical Properties Compressed liquefied gas. -13 °F (-25 °C) estimated None known. 1.2035 g/cm3 estimated 0.247 kJ/g estimated No None Liquid. Not available None. Not applicable Liquid.

Product name: Clean Jet 100 Product #: 805 Clean Jet-100

	10. Chemical Stability & Reactivity Information	
Chemical stability	Stable at normal conditions.	
Conditions to avoid	Heat, flames and sparks.	
Incompatible materials	None known.	
	11. Toxicological Information	
Component analysis - LD50		
Toxicology Data - Selected LD50	is and LC50s	
1,1,1,2-Tetrafluoroethane	811-97-2 Inhalation LC50 Rat 1500 g/m3 4 h	
Sensitization	Not expected to be hazardous by OSHA criteria.	
Feratogenicity	Not expected to be hazardous by OSHA criteria.	
	12. Ecological Information	
Ecotoxicity	This product has no known eco-toxicological effects.	
	13. Disposal Considerations	
Disposal instructions	Contents under pressure. Do not puncture, incinerate or contents the present state, when discarded or disposed of, is not a haze Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, user of the product to determine, at the time of disposal, w RCRA criteria for hazardous waste. Dispose in accordance regulations.	ardous waste according to it is the responsibility of the hether the product meets
	14. Transport Information	
Department of Transportation (D	-	
Basic shipping requirements		
Proper shipping name	Consumer commodity	
Hazard class	ORM-D	
Subsidiary hazard class	None	
Additional information:		
Special provisions	10232	
Packaging exceptions	156, 306	
Packaging non bulk	156, 306	
Packaging bulk	None	
MDG Basis shinning requirements		
Basic shipping requirements		
Proper shipping name	AEROSOLS	
Hazard class	2.2	
UN number	1950	
Additional information:		
Packaging exceptions	LTD QTY	
Labels required	None	2
ΑΤΑ		V
Basic shipping requirements	:	
Proper shipping name	Aerosols, non-flammable	
Hazard class	2.2	
UN number	1950	
Additional information:		
Packaging exceptions	LTD QTY	
Labels required	2.2	2
		v

Product #: 805-Clean Jet-100

15. Regulatory Information		
US federal regulations	This product is a "Hazardous Chemical" as defined by the OS Standard, 29 CFR 1910.1200. CERCLA/SARA Hazardous Substances - Not applicable.	SHA Hazard Communication
Occupational Safety and Health	Administration (OSHA)	
29 CFR 1910.1200 hazardou chemical	u s Yes	
CERCLA (Superfund) reportable	e quantity	
None		
Superfund Amendments and Re	eauthorization Act of 1986 (SARA)	
Section 302 extremely hazardous substance	No	
Section 311 hazardous che	mical Yes	
Hazard categories (311/312) Immediate Hazard - No Delayed Hazard - No Fire Hazard - No Pressure Hazard - Yes Reactivity Hazard - No	
Inventory status		
Country(s) or region	Inventory name	On inventory (yes/no)*
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of New and Existing Chemicals (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	Yes
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other Information		
Further information	HMIS® is a registered trade and service mark of the NPCA.	
HMIS® ratings	Health: 0 Flammability: 2 Physical hazard: 0	
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information in the sheet was written based on the best knowledge and experience currently available.	
MSDS sections updated	Product and Company Identification: Product and Company Identification Composition / Information on Ingredients: Ingredients Hazards Identification: Emergency overview First Aid Measures: Ingestion Fire Fighting Measures: Unusual fire & explosion hazards Fire Fighting Measures: Fire fighting equipment/instructions Fire Fighting Measures: Special protective equipment for firefighters Accidental Release Measures: Containment procedures Handling and Storage: Storage Chemical Stability & Reactivity Information: Conditions to avoid Toxicological Information: Carcinogenicity Transport Information: Agency Name and Packaging Type/Transport Mode Selection	
Prepared by	Regulatory Compliance	